

**Amendment to the Abstract:**

The Abstract has been amended. A revised Abstract is attached.

In high-speed high-density recording, heat generation becomes a problem as high-frequency modulation and a strong magnetic field of a magnetic head are realized.

A transducer supporting structure is provided including a A thermally coupling contact portion is extended from a part of a suspension and is brought into contact with a magnetic core, by which heat Heat generated in a coil is dissipated to the suspension via the magnetic core and the thermally coupling contact portion.

Attachment

Respectfully submitted,

Allan Ratner, Reg. No. 19,717  
Attorney for Applicants

AR/dlm


Attachments: Figures 10(a), 10(b), 11 and 12  
Abstract

Dated: January 26, 2004

P.O. Box 980  
Valley Forge, PA 19482-0980  
(610) 407-0700

**EXPRESS MAIL**      Mailing Label Number: EV 418253947 US  
                            Date of Deposit: January 26, 2004

I hereby certify that this paper and fee are being deposited, under 37 C.F.R. § 1.10 and with sufficient postage, using the "Express Mail Post Office to Addressee" service of the United States Postal Service on the date indicated above and that the deposit is addressed to the Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

  
Annie Caucci

DLM\_I:\MTS\3287US1\PRELIM\_02.DOC

**ABSTRACT**

In high-speed high-density recording, heat generation becomes a problem as high-frequency modulation and a strong magnetic field of a magnetic head are realized.

A transducer supporting structure is provided including a thermally coupling contact portion extended from a part of a suspension and brought into contact with a magnetic core. Heat generated in a coil is dissipated to the suspension via the magnetic core and the thermally coupling contact portion.